






1300 ENTERPRISE ROAD

GENEVA, ALABAMA 36340-0580

800-239-4621

FAX 1-800-508-1469

www.reliablelouvers.com

AEL-268-266Diamond pattern expanded
aluminum bird screen
(WBS-1)**STANDARD CONSTRUCTION**

- Extruded aluminum; 6063-T5
- Vertical type unit ventilator louver w/channel frame
- Min. size O.D. 6" x 7" (152 x 178)
- Max. size O.D. 108" x 23" (2743 x 584)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters

QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE		LOCATION CONTRACTOR DATE

WebREPS
1-800-810-3280






1300 ENTERPRISE ROAD

GENEVA, ALABAMA 36340-0580

800-239-4621

FAX 1-800-508-1469

www.reliablelouvers.com

AEL-268-266-LDiamond pattern
expanded aluminum
bird screen (WBS-1)**STANDARD CONSTRUCTION**

- Extruded aluminum; 6063-T5
- Vertical type unit ventilator louver w/flange frame
- Min. size O.D. 6" x 7" (152 x 178)
- Max. size O.D. 108" x 23" (2743 x 584)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters


QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE		LOCATION CONTRACTOR DATE

WebREPS
1-800-810-3280



1300 ENTERPRISE ROAD GENEVA, ALABAMA 36340-0580 800-239-4621 FAX 1-800-508-1469 www.reliablelouvers.com

AEL-268-267



STANDARD CONSTRUCTION


- Extruded aluminum; 6063-T5
- Vertical type unit ventilator louver w/flange frame
- Min. size B.S. 6" x 7" (152 x 178)
- Max. size B.S. 108" x 23" (2743 x 584)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters



QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE		LOCATION CONTRACTOR DATE





WebREPS
1-800-810-3280



1300 ENTERPRISE ROAD GENEVA, ALABAMA 36340-0580 800-239-4621 FAX 1-800-508-1469 www.reliablelouvers.com

AEL-268-267-L

Diamond pattern expanded
aluminum bird screen
(WBS-1)



STANDARD CONSTRUCTION


- Extruded aluminum; 6063-T5
- Vertical type unit ventilator louver w/flange frame and lattice
- Min. size B.S. 6" x 7" (152 x 178)
- Max. size B.S. 108" x 23" (2743 x 584)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters



QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE	 WebREPS 1-800-810-3280	LOCATION CONTRACTOR DATE




1300 ENTERPRISE ROAD

GENEVA, ALABAMA 36340-0580

800-239-4621

FAX 1-800-508-1469

www.reliablelouvers.com

AEL-268-266-D**STANDARD CONSTRUCTION**


- Extruded aluminum; 6063-T5
- Double stack vertical type unit ventilator louver w/channel frame
- Min. size O.D. 6" x 14" (152 x 356)
- Max. size O.D. 108" x 23" (2743 x 584)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. D = Blank-off
3. Dimensions in inches, parenthesis () indicate millimeters



UNIT TYPE	UNIT MODEL NO.	ACTUAL SIZE				VARIATIONS
		A	B	C	D	
PROJECT		 WebREPS 1-800-810-3280				LOCATION
ARCH./ENGR.						CONTRACTOR
REPRESENTATIVE						DATE





1300 ENTERPRISE ROAD

GENEVA, ALABAMA 36340-0580

800-239-4621

FAX 1-800-508-1469

www.reliablelouvers.com

AEL-268-266-D-LDiamond pattern
expanded aluminum
bird screen (WBS-1)**STANDARD CONSTRUCTION**


- Extruded aluminum; 6063-T5
- Double stack vertical type unit ventilator louver w/channel frame and lattice
- Min. size O.D. 6" x 14" (152 x 356)
- Max. size O.D. 108" x 23" (2743 x 584)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. D = Blank-off
3. Dimensions in inches, parenthesis () indicate millimeters




UNIT TYPE	UNIT MODEL NO.	ACTUAL SIZE				VARIATIONS
		A	B	C	D	
PROJECT ARCH./ENGR. REPRESENTATIVE		 WebREPS 1-800-810-3280		LOCATION CONTRACTOR DATE		



1300 ENTERPRISE ROAD GENEVA, ALABAMA 36340-0580 800-239-4621 FAX 1-800-508-1469 www.reliablelouvers.com

AEL-268-267-D

Diamond pattern
expanded aluminum
bird screen (WBS-1)



STANDARD CONSTRUCTION



- Extruded aluminum; 6063-T5
- Double stack vertical type unit ventilator louver w/flange frame
- Min. size B.S. 6" x 14" (152 x 356)
- Max. size B.S. 108" x 23" (2743 x 584)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. D = Blank-off
3. Dimensions in inches, parenthesis () indicate millimeters



UNIT TYPE	UNIT MODEL NO.	ACTUAL SIZE				VARIATIONS
		A	B	C	D	
PROJECT ARCH./ENGR. REPRESENTATIVE		 WebREPS 1-800-810-3280				LOCATION CONTRACTOR DATE




1300 ENTERPRISE ROAD

GENEVA, ALABAMA 36340-0580

800-239-4621

FAX 1-800-508-1469

www.reliablelouvers.com

AEL-268-267-D-LDiamond pattern
expanded aluminum
bird screen (WBS-1)**STANDARD CONSTRUCTION**



- Extruded aluminum; 6063-T5
- Double stack vertical type unit ventilator louver w/flange frame and lattice
- Min. size B.S. 6" x 14" (152 x 356)
- Max. size B.S. 108" x 23" (2743 x 584)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. D = Blank-off
3. Dimensions in inches, parenthesis () indicate millimeters



UNIT TYPE	UNIT MODEL NO.	ACTUAL SIZE				VARIATIONS
		A	B	C	D	
PROJECT ARCH./ENGR. REPRESENTATIVE		 WebREPS 1-800-810-3280				LOCATION CONTRACTOR DATE




1300 ENTERPRISE ROAD

GENEVA, ALABAMA 36340-0580

800-239-4621

FAX 1-800-508-1469

www.reliablelouvers.com

AEL-268-267-D W/ 266 SUB-FRAMEDiamond pattern
expanded aluminum
bird screen (WBS-1)**STANDARD CONSTRUCTION**



- Extruded aluminum; 6063-T5
- Double stack vertical type unit ventilator louver w/flange frame and channel sub-frame
- Min. size B.S. 6" x 17" (152 x 432)
- Max. size B.S. 108" x 23" (2743 x 584)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. D = Blank-off
3. Dimensions in inches, parenthesis () indicate millimeters



UNIT TYPE	UNIT MODEL NO.	ACTUAL SIZE				VARIATIONS
		A	B	C	D	
PROJECT ARCH./ENGR. REPRESENTATIVE		WebREPS 1-800-810-3280				LOCATION CONTRACTOR DATE




1300 ENTERPRISE ROAD

GENEVA, ALABAMA 36340-0580

800-239-4621

FAX 1-800-508-1469

www.reliablelouvers.com

AEL-268-267-D-L W/ 267 SUB-FRAMEDiamond pattern
expanded aluminum
bird screen (WBS-1)**STANDARD CONSTRUCTION**



- Extruded aluminum; 6063-T5
- Double stack vertical type unit ventilator louver w/flange frame, lattice and flange sub-frame
- Min. size B.S. 6" x 19" (152 x 483)
- Max. size B.S. 108" x 23" (2743 x 584)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. D = Blank-off
3. Dimensions in inches, parenthesis () indicate millimeters



UNIT TYPE	UNIT MODEL NO.	ACTUAL SIZE				VARIATIONS
		A	B	C	D	
PROJECT ARCH./ENGR. REPRESENTATIVE		 WebREPS 1-800-810-3280				LOCATION CONTRACTOR DATE



1300 ENTERPRISE ROAD


GENEVA, ALABAMA 36340-0580

800-239-4621

FAX 1-800-508-1469

www.reliablelouvers.com

AEL-3V



STANDARD CONSTRUCTION



- Extruded aluminum; 6063-T5
- Vertical type unit ventilator louver

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Note:


Dimensions in inches, parenthesis () indicate millimeters



PROJECT
ARCH./ENGR.
REPRESENTATIVE


WebREPS
1-800-810-3280

LOCATION
CONTRACTOR
DATE



STANDARD CONSTRUCTION

- ## OPTIONS


-
- Technical drawing of a rectangular air filter. The drawing shows the filter's frame and internal pleated media. Dimensions are indicated at the bottom:
- Overall width: 3.000" (76) Typ.
 - Overall height: 12.000" (305) N.T.E.

© Reliable April 2011



1300 ENTERPRISE ROAD GENEVA, ALABAMA 36340-0580 800-239-4621 FAX 1-800-508-1469 www.reliablelouvers.com

AEL-92-266



STANDARD CONSTRUCTION


- Extruded aluminum; 6063-T5
- Horizontal type unit ventilator louver w/channel frame
- Min. size O.D. 6" x 6" (152 x 152)
- Max. size O.D. 117" x 90" (2973 x 2286)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters




QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE		LOCATION CONTRACTOR DATE





1300 ENTERPRISE ROAD GENEVA, ALABAMA 36340-0580 800-239-4621 FAX 1-800-508-1469 www.reliablelouvers.com

AEL-92-266-L



STANDARD CONSTRUCTION



- Extruded aluminum; 6063-T5
- Horizontal type unit ventilator louver w/channel frame and lattice
- Min. size O.D. 6" x 6" (152 x 152)
- Max. size O.D. 120" x 90" (3048 x 2286)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters



QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE	 WebREPS 1-800-810-3280	LOCATION CONTRACTOR DATE




1300 ENTERPRISE ROAD

GENEVA, ALABAMA 36340-0580

800-239-4621

FAX 1-800-508-1469

www.reliablelouvers.com

AEL-92-267**STANDARD CONSTRUCTION**



- Extruded aluminum; 6063-T5
- Horizontal type unit ventilator louver w/flange frame
- Min. size O.D. 6" x 6" (152 x 152)
- Max. size O.D. 117" x 90" (2973 x 2286)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters



QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE		LOCATION CONTRACTOR DATE



WebREPS
1-800-810-3280




1300 ENTERPRISE ROAD

GENEVA, ALABAMA 36340-0580

800-239-4621

FAX 1-800-508-1469

www.reliablelouvers.com

AEL-92-267-L**STANDARD CONSTRUCTION**



- Extruded aluminum; 6063-T5
- Horizontal type unit ventilator louver w/flange frame and lattice
- Min. size O.D. 6" x 6" (152 x 152)
- Max. size O.D. 120" x 90" (3048 x 2286)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters



QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE		LOCATION CONTRACTOR DATE

WebREPS
1-800-810-3280




1300 ENTERPRISE ROAD

GENEVA, ALABAMA 36340-0580

800-239-4621

FAX 1-800-508-1469

www.reliablelouvers.com

AEL-92-267 W/ 266 SUB FRAME**STANDARD CONSTRUCTION**



- Extruded aluminum; 6063-T5
- Horizontal type unit ventilator louver w/flange frame and channel sub-frame
- Min. size O.D. 6" x 9" (152 x 229)
- Max. size O.D. 117" x 90" (2973 x 2286)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
 2. Dimensions in inches, parenthesis () indicate millimeters
- * Removable louver size is sub-frame minus 2.250" (57)



QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE		LOCATION CONTRACTOR DATE


WebREPS
1-800-810-3280




1300 ENTERPRISE ROAD

GENEVA, ALABAMA 36340-0580

800-239-4621

FAX 1-800-508-1469

www.reliablelouvers.com

AEL-92-267 W/ 188 SUB FRAME**STANDARD CONSTRUCTION**


- Extruded aluminum; 6063-T5
- Horizontal type unit ventilator louver w/flange frame and flange sub-frame
- Min. size O.D. 6" x 9" (152 x 229)
- Max. size O.D. 117" x 90" (2973 x 2286)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
 2. Dimensions in inches, parenthesis () indicate millimeters
- * Removable louver size is sub-frame minus .614" (16)



QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE	 WebREPS 1-800-810-3280	LOCATION CONTRACTOR DATE



1300 ENTERPRISE ROAD

GENEVA, ALABAMA 36340-0580


800-239-4621

FAX 1-800-508-1469

www.reliablelouvers.com

HDAL 45-H W/266 FRAME

Diamond pattern
expanded aluminum
bird screen (WBS-1)

**STANDARD CONSTRUCTION**



- Extruded aluminum; 6063-T5
- Horizontal type unit ventilator louver w/channel frame
- Min. size O.D. 6" x 6" (152 x 152)
- Max. size O.D. 117" x 90" (2972 x 2286)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters




QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE	 WebREPS 1-800-810-3280	LOCATION CONTRACTOR DATE



1300 ENTERPRISE ROAD GENEVA, ALABAMA 36340-0580 800-239-4621 FAX 1-800-508-1469 www.reliablelouvers.com

HDAL 45-H-L W/266 FRAME

Diamond pattern
expanded aluminum
bird screen (WBS-1)



STANDARD CONSTRUCTION



- Extruded aluminum; 6063-T5
- Horizontal type unit ventilator louver w/channel frame & lattice
- Min. size O.D. 6" x 6" (152 x 152)
- Max. size O.D. 117" x 90" (2972 x 2286)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters




QTY.	SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE	 WebREPS 1-800-810-3280	LOCATION CONTRACTOR DATE



1300 ENTERPRISE ROAD GENEVA, ALABAMA 36340-0580 800-239-4621 FAX 1-800-508-1469 www.reliablelouvers.com

HDAL 45-H W/267 FRAME



STANDARD CONSTRUCTION



- Extruded aluminum; 6063-T5
- Horizontal type unit ventilator louver w/flange frame
- Min. size O.D. 6" x 6" (152 x 152)
- Max. size O.D. 117" x 90" (2972 x 2286)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters



QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE		LOCATION CONTRACTOR DATE




WebREPS
1-800-810-3280



1300 ENTERPRISE ROAD GENEVA, ALABAMA 36340-0580 800-239-4621 FAX 1-800-508-1469 www.reliablelouvers.com

HDAL 45-H-L W/267 FRAME



STANDARD CONSTRUCTION


- Extruded aluminum; 6063-T5
- Horizontal type unit ventilator louver w/flange frame & lattice
- Min. size O.D. 6" x 6" (152 x 152)
- Max. size O.D. 117" x 90" (2972 x 2286)

OPTIONS


- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters



PTAC Unit (NBR)




QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE	 WebREPS 1-800-810-3280	LOCATION CONTRACTOR DATE



1300 ENTERPRISE ROAD GENEVA, ALABAMA 36340-0580 800-239-4621 FAX 1-800-508-1469 www.reliablelouvers.com

HDAL 45-V W/266 FRAME



STANDARD CONSTRUCTION



- Extruded aluminum; 6063-T5
- Horizontal type unit ventilator louver w/channel frame
- Min. size O.D. 6" x 6" (152 x 152)
- Max. size O.D. 120" x 90" (3048 x 2286)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters




QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE		LOCATION CONTRACTOR DATE


WebREPS
 1-800-810-3280



1300 ENTERPRISE ROAD GENEVA, ALABAMA 36340-0580 800-239-4621 FAX 1-800-508-1469 www.reliablelouvers.com

HDAL 45-V-L W/266 FRAME



STANDARD CONSTRUCTION



- Extruded aluminum; 6063-T5
- Horizontal type unit ventilator louver w/channel frame & lattice
- Min. size O.D. 6" x 6" (152 x 152)
- Max. size O.D. 120" x 90" (3048 x 2286)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters




QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE	 WebREPS 1-800-810-3280	LOCATION CONTRACTOR DATE



1300 ENTERPRISE ROAD GENEVA, ALABAMA 36340-0580 800-239-4621 FAX 1-800-508-1469 www.reliablelouvers.com

HDAL 45-V W/267 FRAME



STANDARD CONSTRUCTION


- Extruded aluminum; 6063-T5
- Horizontal type unit ventilator louver w/flange frame
- Min. size O.D. 6" x 7" (152 x 178)
- Max. size O.D. 82" x 35" (2083 x 889)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters



QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE		LOCATION CONTRACTOR DATE




WebREPS
1-800-810-3280



1300 ENTERPRISE ROAD GENEVA, ALABAMA 36340-0580 800-239-4621 FAX 1-800-508-1469 www.reliablelouvers.com

HDAL 45-V-L W/267 FRAME



STANDARD CONSTRUCTION


- Extruded aluminum; 6063-T5
- Horizontal type unit ventilator louver w/flange frame & lattice
- Min. size O.D. 6" x 7" (152 x 178)
- Max. size O.D. 82" x 35" (2083 x 889)

OPTIONS

- ☐ Clear or anodized finish
- ☐ Prime coat
- ☐ Baked Enamel (Kynar 50%)
- ☐ Pearledized 50 or 70
- ☐ Kynar 70%

Notes:

1. Face view for illustration purposes only.
2. Dimensions in inches, parenthesis () indicate millimeters



QTY.	ACTUAL SIZE	VARIATIONS
	A x B	
PROJECT ARCH./ENGR. REPRESENTATIVE		LOCATION CONTRACTOR DATE

